

Owner's Use and Care Manual



GENERAL ELECTRIC



Contents

Page					
Introduction					
Warranty Registration					
Safety Practices					
Operation					
Tractor Controls					
Power Pack Care and Charging 5					
Lubrication					
Service and Maintenance 6 - 7 - 8					
Storage					
Periodic Service Chart					
Specification Chart					
ELEC-TRAK T Attachments and Accessories					
Troubleshooting Checklist					
Warranty Back Cover					
O TRADEMARK					

This manual does not purport to cover all details or variations in equipment nor to provide for every possible contingency to be met in connection with operation or maintenance. Should further information be desired or should particular problems arise which are not covered sufficiently for the purchaser's purpose, the matter should be referred to your authorized Elec-trak dealer.

Introduction

Congratulations! You now own a fine product produced by the General Electric Company, which has been built to assure you high quality and excellent service.

Electricity is the cleanest, most dependable and economical source of power. Every day, all around you and often taken for granted, electrical power is working for you . . . heating, cleaning, lighting, and cooling.

The ELEC-TRAK garden tractor is the result of careful design engineering with the operator foremost in mind. Safety, ease of operation, economy, ruggedness, and maintenance-free features are built into the ELEC-TRAK tractor.

This manual has been carefully prepared to instruct you in operating, maintaining, and lubricating your ELEC-TRAK. IT IS VERY IMPORTANT THAT EACH OPERATOR FULLY UNDERSTANDS THE ENTIRE CONTENTS OF THIS MANUAL FOR SAFE, DEPENDABLE OPERATION AND TO PROLONG THE LIFE OF THE EQUIPMENT.

Your ELEC-TRAK dealer is equipped with a complete stock of genuine ELEC-TRAK tractor parts. He has factory-trained service personnel using the latest approved test and repair equipment and will service your tractor to assure safe, efficient, and economical operation. UNAUTHORIZED SERVICE VOIDS WARRANTY. HOWEVER, BEFORE CALLING YOUR DEALER FOR SERVICE, SEE THE TROUBLESHOOTING CHECK LIST ON PAGE 9.

WARRANTY REGISTRATION

Your dealer must complete and submit a Warranty Registration Form to General Electric before your Warranty Registration can be sent to you. To assure proper warranty coverage be sure that the dealer prepares this form for you with a copy properly dated and sent to the General Electric Company at the address shown below.

Manager—Product Service
Outdoor Power Equipment Operation
General Electric Company
Corporations Park
Schenectady, New York 12305

Your dealer will also record the ELEC-TRAK Warranty Registration and model and serial number of your General Electric tractor.

Remember to specify model and serial number shown under the hood when ordering parts.

SAFETY PRACTICES

As with all power devices, prime responsibility for safe operation of the equipment rests with the operator. It is necessary that both operating instructions and the following safety information be fully understood by each operator before using the tractor and attachments.

- Become familiar with the location and function of all controls
- Be sure the work area is clear of objects which might be picked up and thrown.
- Regulate travel speed according to ground conditions.
- Don't forget to set the brake and shut off attachment power before you leave the tractor.
- Don't drive too close to creeks or ditches.
- Watch out for traffic when near roadways.
- Stay alert for holes and other hidden hazards.

- Watch where you're driving!
 Pay attention!
- Beware on steep slopes! Reduce speed on all side slopes and sharp turns to prevent tipping or losing control.
- Don't attempt to operate tractor when not in seat,
- Don't carry passengers.
- Keep children and pets at a safe distance.
- Don't wear loose-fitting clothing that might get caught in moving parts.
- Never attempt to get off the tractor while it is in motion.
- Don't stop or start suddenly when going uphill or downhill.

- Keep tractor in good operating condition.
- Remove key before leaving tractor.
- Plug tractor charger cord into a normal 110 volt, 3-hole receptacle. Do not use a 2-hole adapter unless properly grounded.
- Keep hands and feet clear of all rotating equipment.
- Disconnect power cord from PTO receptacle before handling power attachments.
- All safety devices are for your protection. Do not attempt to defeat them.

