



# Electrak<sup>®</sup>

## ATTACHMENTS AND ACCESSORIES FOR ALL MODELS

### Tractor



#### ROTARY MOWER AA42

- Fits E20, E15, and E12
- Front-mounted for trimming under and around bushes, trees, etc. Cuts the grass before the tractor rolls over it, greater visibility allows more cutting on every pass
- Mowers are available with either side discharge – **AA42S** – (best for less frequent mowing without grass pickup) or rear discharge – **AA42R** – between wheels under tractor (safest and facilitates grass or leaf pickup with sweeper or vacuum). Both have full rear roller
- 3 blades on 3 motors provide large 42" cutting width
- Mower can be flipped up for simple cleaning and easy blade changing or sharpening
- Blades stop in less than 3 seconds when operator leaves seat, switches PTO off, or turns off key

#### 42" MID-MOUNTED MOWER AH42

- Fits E12M
- Floats over the contour of the land without scalping
- Choice of rear discharge – **AH42R** – (safest and facilitates grass or leaf pickup with sweeper or vacuum) or side discharge – **AH42S** – (best for less frequent mowing without grass pickup. Full rear roller
- Easy to put on and take off tractor
- Cutting height controlled by fast-acting lever lift from operator's seat
- 3 blades on 3 motors provide large 42" cutting width
- Blades stop in less than 3 seconds when operator leaves seat, switches PTO off, or turns off key



#### 36" MID-MOUNTED MOWER AH36

- Fits E10M and E8M
- 2 blades on 2 motors provide 36" cutting width
- Independent ground-following suspension – 4 parallel arms attach to tractor, 3 front skids for anti-scalp protection
- Side discharge
- Blades stop in less than 3 seconds when operator leaves seat, switches mower off, or turns off key
- Cutting height controlled by fast-acting lever lift from operator's seat
- Quick-pins permit easy on and off tractor

GENERAL  ELECTRIC



**Elec-Trak**<sup>®</sup>


## contents

Mowers	1, 2	Garden Equipment	6, 7
Covers	2	Grounds and Maintenance	8, 9
Lawn Sweepers/Rakes	3	Double Seat	9
Hitches	3, 7	Tractor Accessories	10
Rear Lifts	4	Plug-in Tools	10, 11
Snow Removal	5		



### FRONT-MOUNTED GANG MOWER AR56

- Fits E20, E15, E12
- 3-gang reel mower (2 in front, 1 in rear) cuts 56" width
- Trims under objects, lets operator see where he is cutting
- Easily adjusts from 5/8" to 2-1/8"
- 5 sturdy high-carbon spring steel blades per reel
- Easy-adjust bedknife. No-rust screws
- Wide, semi-pneumatic tires flex evenly to reduce turf damage
- Electric front lift used to raise front mowers



### GANG MOWER AR57

- E20, E15, E12, E12M, E10M
- 3-gang reel mower cuts 57" width
- Easily adjustable from 1/2" to 2-1/2" cutting height
- 6 tempered blades and heat-treated bedknife
- Universal hitches allow attachment of up to 5-gang reel



### WALK-BEHIND POWER MOWER PM32

- Top quality 110-volt unit plugs into standard home outlet
- 18" cut with a high-vacuum-lift blade
- Blade/motor impact protection with mechanical slip clutch
- Powerful 10-amp motor with proven reliability
- Reduction gearing for high torque
- Swingover chrome handle is safe, lockable
- 7 instant cutting height adjustments
- Excellent grass dispersion or filling of catcher
- Deluxe, large 7" wheels for easy roll
- Recessed start/stop switch
- Safe front and rear foot guard
- Strong steel housing
- U.L. approved
- Requires **PM10** 100' AC cord with ground
- **PM15** heavy-duty grass catcher optional (shown)



### TRACTOR COVER AP80

- Fits all models
- Made of strong, durable, black, vinyl-coated nylon
- Designed for temperatures to -40°F
- Has air vents for good air circulation
- Easily mounted on tractor or mower with an elastic shock cord hem and belly band

### MOWER COVER AP81

- For front mounted mowers
- Easily mounted on tractor or mower with an elastic shock cord hem and elastic tie band to secure together under tractor




#### LAWN SWEEPER AS31

- Fits all models
- Can be electrified for superior sweeping with constant-speed drive using conversion kits **KS31** and **KS32** (for E20, E15, E12, E12M, E10M)
- 31" sweeper brush sweeps an area wider than the *discharge width* of the 42" ELEC-TRAK rear discharge mower
- Convenient dump-to-rear and brush height adjustment from the driver's seat
- Light-duty dethatching possible with powered sweeper




#### ELECTRIC RAKE LFT-GE

- Fits E20, E15, E12
- Removes light lawn thatch, rakes clippings, leaves (wet or dry), clears apples, acorns, twigs, pine needles
- Powered by strong, electric motor. Plugs into tractor PTO
- Compact and easy to maneuver
- Clears a 3-foot wide swath
- Rugged, welded steel frame
- Unique "loom action" gives gentle but positive raking
- Debris and rakings discharged to side in neat windrows
- Order from York Rakes, York Modern Corporation, Unadilla, New York 13849



#### SLEEVE HITCH AP50

- Fits E20, E15, E12
- Takes all implements built to industry standard for sleeve hitches
- Easy to attach with two bolts
- Can be used with electric or manual rear lift (**AP59**, **AP58**)




#### HITCH ADAPTER CH10

- Fits E20, E15, E12, E12M
- A variety of hitches or balls can be attached or easily installed
- Hitches mount in rear stubble openings



#### FRONT IMPLEMENT MOUNTING BRACKET AP56

- Fits E20, E15, E12
- To be used with dozer blade, V-plow, snow thrower, and front platform lift
- Easily slides into front stabber and locks on with front clevis pins
- Model **AP55** fits E12M
- Model **AP54** fits E10M, E8M



#### WEIGHT/TOOL BOX AP85

- Fits E20, E15, E12, E12M
- Weight box locks into rear or front stabbers (for snow throwers or tillers)
- Will hold 200 lbs of ballast (5 standard 4" concrete blocks at 40 lbs) or carry tools, accessories
- **AP86** for E10M, E8M


#### TIRE CHAINS

- Chains for 8:50 x 12 tires, 2-link **AP65** fits E12, E12M
- Chains for 9:50/10:50 x 12 tires, 2-link **AP68** fits E20, E15
- Chains for 10:50 x 8 tires, 2-link **AP64** fits E10M
- Chains for 8:50 x 8 tires, 2-link **AP63** fits E8M



#### MANUAL REAR LIFT AP58

- Fits E20, E15, E12, E12M
- Has 7-to-1 mechanical advantage — lifts sleeve hitch and tools
- Fits easily into rear stabber
- Designed for easy attachment to **AP50** sleeve hitch (shown above)
- Lift can be set at four different height adjustments



#### ELECTRIC REAR LIFT AP59

- Fits E20, E15, E12, E12M
- Quickly mounts into rear stabber
- Plugs electrically into its own outlet
- A flick of the switch lifts or lowers attachments
- Can be used with all sleeve hitch attachments, and other attachments requiring rear lift

